| POPULATION ESTIMATES | CENSUS DATA | LOCAL PUBLIC HEALTH | | | | |
|---|--|---|--|--|--|--|
| | | | | | | |
| Total 1995 Population Est 26, 420 | | Per Activities Reported Number 10,000 | | | | |
| Percent Female 50.9 | Note: Data in this section are from | Number 10,000 | | | | |
| | the 1990 Census. (All other | Public Health Nursing | | | | |
| Population per square mile 33 | sections contain 1995 data | Total clients 763 289 | | | | |
| Rank in state 41 | except where specified.) | Total visits 2,384 902 | | | | |
| (1=highest population density, 72=lowest population density.) | Ratio of 1989 Family | Visits: Reason for Gen hlth promotion 1,412 534 | | | | |
| 72-10west population density.) | Income to Poverty | Infant/child hlth 145 55 | | | | |
| | (Cumul ative) | Infectious & parasitic | | | | |
| <u>Age Female Male Total</u> | <u>'</u> | Circulatory 492 186 | | | | |
| 0-14 2, 870 2, 920 5, 790 | Age <100% <185% <200% Total | Prenatal 50 19 | | | | |
| 15-19 940 1,030 1,964 | 55 23 53 55 1,847 | Postpartum 54 20 | | | | |
| 20- 24 660 740 1, 400 25- 29 560 590 1, 150 | 5-17 21 48 52 5,030 18-44 15 37 40 8,771 | WIC Participants 595 225 | | | | |
| 30- 34 910 870 1, 130 1, 780 | 16-44 15 37 40 8,771 45-64 9 25 27 5,017 | WIC Participants 595 225 | | | | |
| 35-39 1,050 1,080 2,130 | 65+ 16 46 51 4,422 | Clinic Visits 4,797 1,816 | | | | |
| 40-44 960 1,040 2,000 | j, | Immuni zati on 3, 061 1, 159 | | | | |
| 45-54 1,500 1,570 3,070 | | Blood pressure 65 25 | | | | |
| 55-64 1, 200 1, 150 2, 350 | | | | | | |
| 65-74 1, 290 1, 090 2, 380 | CANCED INCIDENCE | Environmental Contacts | | | | |
| 75-84 1,060 700 1,760 85+ 440 200 640 | C A N C E R I N C I D E N C E (1995) | Env hazards 1 0 Public health nuisance 54 20 | | | | |
| Total 13, 440 12, 980 26, 420 | (1993) | | | | | |
| 1000 10, 110 12, 000 20, 120 | Primary site Number | School Health | | | | |
| | Col on 22 | Vision screenings 452 171 | | | | |
| Age Female Male Total | Lung 22 | Hearing screenings 376 142 | | | | |
| 0-17 3, 460 3, 550 7, 010 | Breast 27 | Haalth Edwart's | | | | |
| 18-44 4, 490 4, 720 9, 210 45-64 2, 700 2, 720 5, 420 | Prostate 25 All others 84 | Health Education Community sessions 31 12 | | | | |
| 65+ 2,790 1,990 4,780 | Total 180 | Community sessions 31 12 Community attendance 815 308 | | | | |
| Total 13, 440 12, 980 26, 420 | | School sessions | | | | |
| | | School attendance | | | | |
| | LONG TIPM GAR | | | | | |
| E M P L O Y M E N T | LONG TERM CARE | | | | | |
| Note: Average wage is based on place | | Total staff 5 1.9 Administrators 1 0.4 | | | | |
| of work, not place of residence. | Home Health Agencies 1 | Public health nurses 2 0.8 | | | | |
| or work, not prace or restuchee. | Patients 240 | Public health aides <1 0.2 | | | | |
| Average wage for jobs covered | Patients per 10,000 pop 91 | Environmental specialists <1 0.1 | | | | |
| by Unemployment Compensation \$17,089 | | [| | | | |
| | Nursing Homes 4 | LOCAL DUDI I C HEALTH PUNDING | | | | |
| Labor Force Estimates Annual Average Civilian labor force 13,554 | Li censed beds 365 Occupancy rate (percent) 92. 9% | LOCAL PUBLIC HEALTH FUNDING Per | | | | |
| Number employed 12, 900 | 0ccupancy rate (percent) 92.9% Residents on 12/31/95 342 | Per Amount Capita | | | | |
| Civilian labor force 13,554 Number employed 12,900 Number unemployed 654 Unemployment rate 4.8% | Residents per 1,000 | Total funding \$229, 747 \$8.70 | | | | |
| Unemployment rate 4.8% | population aged 65 or older 69 | Local taxes \$127, 941 \$4. 84 | | | | |
| 1 | r | ľ | | | | |

| | | | N A T A L | I T Y | | | | |
|-------------------------------------|----------------------|--|--|------------------|------------|---|---------------------------------|--------------------|
| TOTAL LIVE BIRTHS | | 351 | Birth Order | Bi rths | Percent | Marital Status | | |
| | | 001 | Fi rst | 103 | 29 | of Mother | Bi rths | Percent |
| Crude Live Birth Rate | : | 13. 3 | Second | 96 | 27 | Marri ed | 302 | 86 |
| General Fertility Rat | e | 69. 1 | Thi rd | 63 | 18 | Not married | 49 | 14 |
| · | | | Fourth or higher | 89 | 25 | Unknown | 0 | • |
| Live births with repo | rted | | Unknown | 0 | • | | | |
| congenital anomalies | 11 | 1 . % | | | | Educati on | | _ |
| - 1. — | - · | _ | First Prenatal | · | _ | <u>of Mother</u> | <u>Births</u> | Percent |
| <u>Delivery Type</u> | <u>Births</u> | Percent | <u>Visit</u> | Births | | Elementary or less | 75 | 21 |
| Vagi nal after | 0 | | 1st trimester | 244 | 70 | Some high school | 23 | 7 |
| previous cesarean | 6 | • | 2nd trimester | 54 | 15 | High school | 108 | 31 |
| Forceps | 13 | 70 | 3rd trimester | 48 | 14 | Some college | 82 | 23 18 |
| Other vaginal | 279 | 79 8 | No visits | 4 1 | • | College graduate | 63 | 18 |
| Primary cesarean Repeat cesarean | 28 25 | 8 7 | Unknown | 1 | • | Unknown | 0 | • |
| Repeat cesarean Other or unknown | 25 0 | , | Number of Prenatal | | | Smoking Status | | |
| other or ulikilowii | U | • | Care visits | Bi rths | Percent | of Mother | Bi rths | Percent |
| Birth Weight | Rirths | Percent | No visits | 4 | I el celle | Smoker | 52 | 15 |
| <1, 500 gm | 4 | 1 CI CCIIC | 1- 4 visits | 71 | 20 | Nonsmoker | 299 | 85 |
| 1, 500-2, 499 gm | 11 | • | 5-9 visits | 73 | 21 | Unknown | 0 | |
| 2, 500+ gm | 336 | 95. 7 | 10-12 visits | 123 | 35 | | ŭ | • |
| Unknown | 0 | • | 13 + visits | 80 | 23 | | | |
| | | | Unknown | 0 | | | | |
| Race of Mother | | Low Birth Weight Total Births (under 2,500 gm) Births Percent Births Percent | | 1st Tr Births | imester | er of First Prenatal 2nd Trimester Births Percent | Other/Unknown Births Percent | |
| Whi te | 351 | 100 | <u> 15 . </u> | 244 | 70 | 54 15 | 53 | 15 |
| Bl ack | 0 | | | | • | | • | |
| 0ther | 0 | • | | • | • | | • | • |
| Unknown | 0 | • | | • | • | • | • | • |
| Age of Mother | Fe <u>B</u> irths | rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent | | imester | er of First Prenatal 2nd Trimester Births Percent | Other/ | Unknown Percent |
| <15 | 1 | | | | • | 1 . | | |
| 15- 17 | 5 | | •_ • | 4 | • | 1 . | • | • |
| 18- 19 | 14 | | | 12 | • | 2 . | •_ | • |
| 20- 24 | 85 | 128 | $\frac{3}{2}$. | 58 | 68 | 19 . | 8 | • |
| 25- 29 | 100 | 179 | 7 . | 77 | 77 | 15 . | 8 | • |
| 30- 34 | 87 | 96 | | 59 | 68 | 9 . | 19 | • |
| 35- 39 | 46 | 44 | 3 . | 27 | 59 | 7 . | 12 | • |
| 40+ | 13 | • | | 7 | • | • | 6 | • |
| Unknown | 0 | | • | • | • | • | • | • |
| Teenage Births | 20 | 21 | | | | | | |

1995 PROFILE FOR VERNON COUNTY Third of four pages ----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES fetal deaths. ----- I M M U N I Z A T I O N S ------

------ HOSPITALIZATIONS------

| DI SEASE / AGE GROUP | Number | 1,000 | Average Stay (Days) | Average Charge | Charge Per Capi ta | DI SEASE / AGE GROUP | Number | 1,000 | Average Stay (Days) | Average | Charge Per Capita |
|-------------------------|------------|---------|---------------------------|-------------------|--------------------------|----------------------------|-----------|----------------|---------------------------|------------------------------|-------------------------|
| Injury-Relate | ed: All | | | | | Al cohol - Rel at ed | | | | | |
| Total | 304 | 11. 5 | 4. 9 | \$9, 068 | \$104 | Total | 48 | 1.8 | 5.8 | \$3, 885 | \$7 |
| <18 | 44 | 6. 3 | 3. 4 | \$7, 540 | \$47 | 18-44 | 27 | 2. 9 | 6. 7 | \$3, 924 | \$12 |
| 18- 44 | 83 | 9. 0 | 3. 8 | \$8, 497 | \$77 | 45-64 | 9 | | • | , . | |
| 45- 64 | 66 | 12. 2 | 5. 0 | \$9, 589 | \$117 | | | • | • | - | |
| 65 + | 111 | 23. 2 | 6. 3 | \$9, 791 | \$227 | Pneumonia and I | nfluenza | | | | |
| Injury: Hip | Fracture | | | , | • | Total | 141 | 5. 3 | 4.6 | \$5, 611 | \$30 |
| Total | 43 | 1.6 | 7.4 | \$11, 596 | \$19 | <18 | 14 | | | | |
| 65+ | 40 | 8. 4 | | \$11, 706 | \$98 | 45-64 | 18 | | | | |
| Injury: Poi | | 0, 1 | | 411, 100 | 400 | 65+ | 102 | 21.3 | 4. 9 | \$5, 959 | \$127 |
| Total | 15 | | | | | 1 | | 22.0 | 2. 0 | 40,000 | 412. |
| 18- 44 | 7 | • | • | • | • | Cerebrovascul ar | Di sease | | | | |
| 10 11 | • | • | • | • | • | Total | 80 | 3. 0 | 3.8 | \$6, 031 | \$18 |
| Psychi atri c | | | | | | 45-64 | 10 | 0. 0 | 0. 0 | 40, 001 | 410 |
| Total | 144 | 5. 5 | 10. 6 | \$6, 322 | \$34 | 65+ | 69 | 14. 4 | 3. 2 | \$4, 661 | \$67 [.] |
| <18 | 17 | 0.0 | 10. 0 | φυ, σωω | 401 | | 00 | | 0. 2 | 41, 001 | 407 |
| 18- 44 | 73 | 7. 9 | 10. 8 | \$6, 30 4 | \$50 | Chronic Obstruc | tivo Pulr | monary D | i casca | | |
| 45- 64 | 73 24 | 4.4 | 9.8 | \$6, 328 | \$28 | Total | 55 | 2. 1 | 2. 9 | \$3, 491 | \$7 |
| 65+ | 30 | 6.3 | 7. 9 | \$5, 336 | \$33 | <18 | 13 | | | ψ 0 , 1 01 | ψ, |
| 00+ | 30 | 0. 3 | 7. 3 | 93, 330 | 933 | 18-44 | 3 | • | • | • | • |
| Coronary Hear | t Discosso | | | | | 45-64 | 18 | • | • | • | • |
| Total | 229 | 8. 7 | 5. 0 | \$13, 402 | \$116 | 45-04 | 21 | 4. 4 | 3. 8 | \$4, 133 | \$18 |
| 45- 64 | 71 | 13. 1 | 3. 0 4. 9 | \$15, 402 | \$110 \$204 | 05+ | ٤1 | 4. 4 | 3. 6 | 34 , 133 | 310 |
| 45- 64 65+ | 145 | | 4. 9 5. 2 | | | Drawer Doloted | | | | | |
| 00+ | 143 | 30. 3 | 3. Z | \$12, 478 | \$378 | Drug-Related | ~ | | | | |
| M.11 | .1 (C. | | 411 | | | Total | 5 3 | • | • | • | • |
| Malignant Neo | | ncers): | All | 010 007 | 000 | 18-44 | 3 | • | • | • | • |
| Total | 149 | 5.6 | 6. 7 | \$10, 667 | \$60 | m , 1 m , 1. | . • | | | | |
| 18- 44 | 9 | ٠. ۵ | • | | • | Total Hospitali | zations | 100.0 | 4.0 | 00.050 | 0700 |
| 45- 64 | 32 | 5. 9 | | \$10, 420 | \$62 | Total | 3, 254 | 123. 2 | 4. 2 | \$6, 356 | \$783 |
| 65+ | 105 | 22. 0 | 6.7 | \$9, 784 | \$215 | <18 | 533 | 75. 9 | 2.9 | \$3, 532 | \$268 |
| Neoplasms: | | ast (ra | ites for | temale po | opul at i on) | 18-44 | 782 | 84. 9 | 3. 4 | \$4, 864 | \$413 |
| Total | 19 | | • | • | • | 4564 | 572 | 105.8 | 4. 5 | \$8, 161 | \$863 |
| Neoplasms: | | .1 | | | | 65+ | 1, 367 | 286 . 0 | 5. 1 | \$7, 555 | \$2, 160 |
| Total | 24 | 0. 9 | | \$15, 607 | \$14 | | | | | | |
| 65+ | 20 | 4. 2 | 9. 2 | \$14,648 | \$61 | P R_E V E N T A | | | | | |
| Neoplasms: | | | | | | Total | 505 | 19. 1 | 4. 2 | \$4, 942 | \$94 |
| Total | 6 | • | • | | • | < 18 | 64 | 9. 1 | 2. 2 | \$2, 264 | \$21 |
| | | | | | | 18-44 | 46 | 5. 0 | 2.8 | \$3, 909 | \$20 |
| Diabetes | | | | | | 45-64 | 78 | 14. 4 | 3. 6 | \$4, 574 | \$66 |
| Total | 38 | 1.4 | 5. 6 | \$6, 153 | \$9 | 65+ | 317 | 66 . 3 | 4. 9 | \$5, 724 | \$380 |
| 65 + | 21 | 4.4 | 6. 2 | \$6, 098 | \$27 | | | | | | |
| | | | | • | | * Hospitalizatio | ns for co | ondi ti on | s where | timely a | nd |
| | | | | | | effective ambul | atory car | re can r | educe tl | he likělih | nood of |
| | | | | | | hospi tal i zati on | | | | | |